

# Getting Started With JetSubmitter2

---

A brief how-to guide for getting started and using JetSubmitter2.

## Introduction




JetSubmitter2 is an online application which submits your articles to over 600+ article directories automatically, with just a click. In this Getting started overview we are going to use Jetsubmitter2.


## Step 1: Creating a POP and IMAP enabled, email account to use with JetSubmitter

The first thing you need to do before starting with JetSubmitter is create a fresh email account with one of the numerous free email providers, Google Mail or Gmail.com. Please note that your new email account will be required to have POP and IMAP enabled for JetSubmitter use. The signup process for Gmail is short and it gives POP and IMAP support. [Lets start by creating an account at gmail.com](#)

After you have successfully created an account at gmail.com, you will have to enable POP and IMAP. To do so please follow the steps outlined below:



1: After login into your newly created gmail account, click on the settings link, on the top right hand side corner as shown in the image above.



2: As show in the image above, click on the "Forwarding and POP/IMAP" link in the settings pane.

**Settings**

[General](#) [Accounts](#) [Labels](#) [Filters](#) **Forwarding and POP/IMAP** [Chat](#) [Web Clips](#)

**Forwarding:**

Disable forwarding  
 Forward a copy of incoming mail to  and

Tip: You can also forward only some of your mail by [creating a filter](#)

---

**POP Download:**

[Learn more](#)

1. **Status: POP is disabled** 1

**Enable POP for all mail** 1  
 Enable POP only for mail that arrives from now on

2. **When messages are accessed with POP**

3. **Configure your email client** (e.g. Outlook, Eudora, Netscape Mail)  
[Configuration instructions](#)

---

**IMAP Access:**  
(access Gmail from other clients using IMAP)  
[Learn more](#)

1. **Status: IMAP is disabled** 2

**Enable IMAP** 2  
 Disable IMAP

2. **Configure your email client** (e.g. Outlook, Thunderbird, iPhone)  
[Configuration instructions](#)


3

3: Click the "Enable POP for all mail" and "Enable IMAP" options and followed by clicking on the "Save Changes" button as shown above.

## Step 2: Creating Directory Accounts with JetSubmitter2


The screenshot shows the JetSubmitter2 web interface. At the top, there is a navigation menu with tabs for 'Articles', 'Projects', 'Account Projects', 'Accounts', 'Logout', and 'Support'. The 'Account Projects' tab is highlighted with a red box. Below the navigation, a green banner indicates 'Logged in successfully'. The main content area is titled 'Dashboard' and shows 'You are logged in as ianmaranon'. A list of instructions is provided: 1. Create an **Account Project** to automatically create accounts at 641+ article directories; 2. Add an **Article** (NEW: Add your Article with Jetspinner Syntax directly!); 3. Create a **Project** to start article submission. Below this, there is a section for 'Account Stats' with a table showing zero counts for 'Submissions Queued', 'Submissions Completed', 'Creations Queued', and 'Creations Completed'. At the bottom, there are buttons for 'Create Directory Accounts' and 'Add Jetspinner Article'.

After you login to JetSubmitter2, you will be taken to the Dashboard page. To get started you would have to first create accounts on 600+ article directories automatically using jetsubmitter. To do this click on the on the "Account Project" Link or Tab as shown above.



On the Account Creations Page, Click on the "Create Directory Accounts" button as shown above.

### Step 3: Creating an Submission Account on JetSubmitter.



After Clicking the Create Directory Accounts button, you will be taken to form. Fill this form up making sure you use the newly created gmail account as shown. After filling up the form, click on "Save".

## Step 4: Submitting Articles using JetSubmitter2

**Title**  
Title of My Article

**Body**  
Body of your article or the main content or your article

**Box**  
Call to action Here, Includes links, etc.

JetSpinner to select at random one of the inside words, phrases, sentences, paragraphs or even whole article variations!

This is a recursive activity so it can be used on as many levels as you wish.

Such that **{The dog ran {fast|slow} to the {mall|store} |The dog drove the {car|truck} to the {mall|store|shopping center}}** will choose either the first or the second sentence then continue inside that sentence and parse the inside content.

**Random Order**

**Structure:** {order|delimiter: **mintimes**: **maxtimes** :Word1|Word2|Word3}

**What it does:** This will give any combination of the words returning at least **mintimes** word(s) and at most **maxtimes** words. One word appears as "Word1" three words appear as "Word1, Word2, Word3".

Data Merge

If you are writing your articles or getting them written from a copywriter, including the variations, you would need to click on the "Article" tab. Once you click on the article tab, you would be taken to a form, where in you would be required to fill the details, as shown above. As you can see with the above screenshot, these details include, the name of the article or Article Name. The Title of the Article - what would be the also known as the heading of the article. Body of the article - which would be the main content. The Author Resource box, where you would be specifying some "Call to Action" content, including linking back to your websites, products, etc.

Alternatively, you also have an option to import articles from JetSpinner 1.0 (<http://spontent.com/spinner/>) or HumanSpinner using the appropriate article id or syntax. To import an article from JetSpinner 1.0, you may copy and paste the JetSpinner article Id and then click on the "Create" button.

If you are importing your articles from HumanSpinner, you will be required to view your completed article within the HumanSpinner Application, Click on "Create Seed Article" and then simply copy paste the entire article from HumanSpinner to JetSubmitter2. With, HumanSpinner, you are required to copy (ctrl+c) and paste (ctrl+v) the information by hand - The Title, The Author Resource Box, and the Name of the Article.

## Step 4: Creating Projects

feedt

MyProjectArticleSubmission

Article  
MyArticleToSubmit

Pen name  
Mr. Stan Lee

Keywords (comma seperated list)  
articles, article submission guide, etc

Categories (select all that apply)  
Arts & Entertainment  
Arts & Entertainment:Celebrities  
Arts & Entertainment:Humanities  
Arts & Entertainment:Movies  
Arts & Entertainment:Music  
Arts & Entertainment:Photography  
Arts & Entertainment:Poetry  
Business  
Business:Advertising  
Business:Article Marketing

Do Not Submit to Default Categories

Start date  
2009 January 3

Perday  
99

Create

After you have added the articles, you will have to create a project. To do so, click on the "Projects" tab. Then click on the "Add Submission Project" button. This will take you to another form. This form requires you to input some basic submission data, that would be used while submitting your articles. You will have to enter a Project Name - this can be anything you like. From the drop down, select the article you want to start submitting. In our case we have chosen "MyArticleToSubmit". You can also give yourself a Pen Name, if that be required. Then, you would have to enter the keywords you want to associate with the article. Next you will be required to select a category or categories that apply to your article and the most important being, How many articles would you want to submit per day. After filling in these fields, click on the "Create" Button.

## Step 5: Enter your article in to submission que.

Finally, you would have to enter your article into the submission que, and let JetSubmitter submit your articles to over 600+ article directories.

## Help on Data within the Article Tab

Placing a bar inside the area such as {word1|word2} tells Jetspinner to select at random one of the inside words, phrases, sentences, paragraphs or even whole article variations!

This is a recursive activity so it can be used on as many levels as you wish.

Such that {The dog ran {fast|slow} to the {mall|store}|The dog drove the {car|truck} to the {mall|store|shopping center}} will choose either the first or the second sentence then continue inside that sentence and parse the inside content.

Random Order

**Structure:** {order:delimiter: mintimes: maxtimes :Word1| Word2|Word3}

What it does: This will give any combination of the words returning at least mintimes word(s) and at most maxtimes words. One word appears as "Word1" three words appear as "Word1, Word2, Word3".

### **Data Merge**

Structure: {db:Column#:}

What it does: Data Merge will take a csv file in comma delimited format and use the rows as inputs within a document.

More help information...